

All the power you need – without ever disturbing the fish

Yamaha Electric Drives are the most environmentfriendly way to power your small boat when you're out relaxing on the water.

With these neat units, relaxation is the key. There is almost no noise and certainly no exhaust fumes, so you never have to worry about anything disturbing you – or about disturbing anything else, because for keen fishermen and lovers of nature that's the added bonus: a Yamaha Electric Drive won't scare wildlife away. So you can make the most of your day in the great outdoors.

Powered by a compact 12-Volt battery, your Yamaha Electric Drive is ultra-portable. Which also makes them perfect for a small tender or dinghy.



- Very simple and light to carry about and to fit
- Surprisingly powerful but easy to control
- Tough construction and dependable 12-Volt motor
- Almost indestructible composite prop shaft
- Power propeller resists weeds and trailing debris
- Quick-Cam Depth Adjuster easy prop depth control
- Extremely friendly to the environment
- Telescoping Tiller





Indestructible composite shaft

Our ultra-high-yield composite shafts are stronger then steel, virtually indestructible and flex on impact, before returning to their original position. They won't kink, break, rust or corrode.



Smooth, cool and quiet power

The extra-large windings and commutators dissipate heat, resulting in cooler operation, extended battery power and longer motor life, while the unique bearing system reduces friction to cut fish-spooking noise. You'll be so quiet, they'll never hear you coming.



Power Props

Delivers extra power to push through heavy vegetation.



A really tough little power partner

As well as its indestructible (almost) composite shaft, the great little M18 outboard is tough in every other sense too - from its hard-working, permanent magnet 12-Volt motor and its hard-wearing, weed-resistant power propeller right down as far as its hard-to-damage casing. In short, it goes where you go. With no drama.



Electric-Drive Technical specs	
Amp Draw	42
Voltage	12
Mount Feature	[LeverLock]
Max Thrust (kg)	18.2
Speeds (FWD/REV)	5 FWD/3 REV
Digital Maximizer	False
Shaft Length	914 mm
Battery Meter	False
Control	Telescoping Tiller



